

213591

32299

J. Correction of Informalities--37 CFR 1.82

- B. ☐ objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require**

[illegible]

1. DRAWINGS. 37 CFR 1.84(f): Acceptable categories of drawings:
 (1) Drawings are not acceptable until position is granted.
 (2) Color drawings are not acceptable until position is granted.
 (3) Drawings are not acceptable until position is granted.
 (4) Drawings are not acceptable until position is granted.
 (5) Drawings are not acceptable until position is granted.
2. PHOTOGRAPHS. 37 CFR 1.84 (b)
 (1) Full-tone set is required. Fig(s) _____
 (2) Photographs not properly mounted (must use bristol board or photographic double-weight paper). Fig(s) _____
 (3) Poor quality (half-tone). Fig(s) _____
3. TYPE OF PAPER. 37 CFR 1.84(e)
 (1) Paper must be durable, strong, white, and suitable for drawing.
 (2) Paper must be durable, strong, white, and suitable for drawing.
 (3) Paper must be durable, strong, white, and suitable for drawing.
 (4) Paper must be durable, strong, white, and suitable for drawing.
 (5) Paper must be durable, strong, white, and suitable for drawing.
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:
 (1) 21.0 cm by 29.7 cm (DIN size A4)
 (2) 21.6 cm by 27.9 cm (8 1/2 x 11 inches)
 (3) All drawing sheets not the same size.
 (4) Sheet(s) _____
 (5) Drawings sheets not an acceptable size. Fig(s) _____
5. MARGINS. 37 CFR 1.84(g): Acceptable margins:
 (1) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (2) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (3) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (4) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (5) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (6) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (7) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (8) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (9) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (10) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (11) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (12) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (13) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (14) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (15) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (16) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (17) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (18) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (19) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (20) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (21) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (22) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (23) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (24) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (25) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (26) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (27) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (28) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (29) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (30) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (31) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (32) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (33) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (34) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (35) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (36) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (37) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (38) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (39) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (40) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (41) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (42) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (43) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (44) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (45) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (46) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (47) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (48) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (49) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (50) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (51) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (52) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (53) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (54) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (55) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (56) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (57) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (58) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (59) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (60) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (61) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (62) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (63) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (64) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (65) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (66) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (67) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (68) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (69) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (70) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (71) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (72) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (73) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (74) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (75) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (76) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (77) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (78) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (79) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (80) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (81) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (82) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (83) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (84) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (85) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (86) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (87) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (88) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (89) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (90) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (91) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (92) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (93) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (94) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (95) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (96) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (97) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (98) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (99) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
 (100) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm
6. VIEWS. 37 CFR 1.84(h)
 REMINDER: Specification may require revision to correspond to drawing changes.
 Partial views. 37 CFR 1.84(h)(2)
 (1) Brackets needed to show figure as one entity. Fig(s) _____
 (2) Views not labeled separately or properly. Fig(s) _____
 (3) Enlarged view not labeled separately or properly. Fig(s) _____
7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3)
 (1) Hatching not indicated for sectional portions of an object. Fig(s) _____
 (2) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) _____
8. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(i)
 (1) Lines must be uniform in thickness and well defined. Fig(s) _____
 (2) Lines must be uniform in thickness and well defined. Fig(s) _____
 (3) Lines must be uniform in thickness and well defined. Fig(s) _____
 (4) Lines must be uniform in thickness and well defined. Fig(s) _____
 (5) Lines must be uniform in thickness and well defined. Fig(s) _____
 (6) Lines must be uniform in thickness and well defined. Fig(s) _____
 (7) Lines must be uniform in thickness and well defined. Fig(s) _____
 (8) Lines must be uniform in thickness and well defined. Fig(s) _____
 (9) Lines must be uniform in thickness and well defined

COMMENTS

REVIEWER

DA

TELEPHONE NO. _____

ATTACHMENT TO PAPER NO. 10